Preface

Mitchell M. Levy, MD, MCCM
Editor

Prompt diagnosis and early intervention are now recognized as an essential factor in survival of critical illness. This is certainly true for both sepsis and acute respiratory distress syndrome, the two most common disease states with which we are faced in critical care. We last edited an issue of *Critical Care Clinics* on “Biomarkers in the Critically Ill Patient” in 2011. It would be great if I were able to report that, over the past 9 to 10 years, we have made remarkable progress in the field and can now use biomarkers for early diagnosis, precision targeting for guiding the use of new therapeutic agents, inclusion criteria in large randomized controlled trials, or to determine specific risk profiles that facilitate clinical decision making in the emergency department and the medical wards. But clear and convincing studies, irrefutably establishing a single biomarker or biomarker panel for diagnosing sepsis, guiding sepsis therapeutics, or predicting morbidity and mortality are lacking.

A biomarker is a protein or specific molecule that can be objectively measured as an indicator of normal biological processes, pathogenic processes, or pharmacologic responses to a therapeutic intervention. The ideal biomarker would be highly sensitive and specific for a given disease state and have biologic plausibility. Biomarkers might be predictive or prognostic and be valuable in assessing the likelihood of patient outcomes or predicting response to therapeutic interventions. Ultimately, a widely utilized biomarker must have the capability of being easily measured and rapidly reported.

In this issue of *Critical Care Clinics*, a group of highly regarded experts in the field revisit the use of biomarkers in several areas and disease states in the critically ill. Without question, we are moving toward (albeit too slowly for many of us) the use of biomarkers for precision medicine and individualized therapy in critical care. This issue contains valuable articles that will guide the reader through a deeper understanding of the current and potential future role of biomarkers in various disease states commonly seen in the critically ill patient. There are helpful articles on rapid identification of infection as well as thorough reviews on procalcitonin, lactate, soluble TREM-1, and Lubricin, all potential markers or targets for therapeutic interventions. Biomarkers and right ventricular dysfunction are discussed along with the potential for using biomarkers for predicting renal dysfunction. There are also several articles in this issue

in which the biomarkers that might identify the immunosuppressed phase of sepsis are discussed as well as the possible use of checkpoint inhibitors as therapeutic targets. Finally, there are important articles on the future of biomarkers as we move into the reality of precision medicine.

Overall, readers should find this issue both helpful and important in understanding the progress and potential for the use of biomarkers in critical care.

Mitchell M. Levy, MD, MCCM
Division of Pulmonary, Critical Care
and Sleep Medicine
The Warren Alpert Medical School of
Brown University
Rhode Island Hospital
593 Eddy Street
4th Floor Main Building
Providence, RI 02903, USA

E-mail address:
Mitchell_Levy@Brown.edu