



ELSEVIER  
SAUNDERS

Crit Care Clin 20 (2004) 549–553

---

---

CRITICAL  
CARE  
CLINICS

---

---

## Index

*Note:* Page numbers of article titles are in **boldface** type

### A

---

- Advance care planning
  - in ICU, 333–334
- Analgesia
  - in withdrawal of life-sustaining treatments, 440–441
- Analgesic agents
  - for pain in ICU, 392–393
- Anticipatory grief
  - in family of critically ill patient, 460–462
- Anxiety
  - among dying patients
    - sedation for, 423–424

### B

---

- Bereavement
  - of health care professionals
    - in end-of-life care in pediatric ICU, 480–482
- Bioethical decision making
  - among interdisciplinary team
    - dying patients in ICU and, 530–531
- Brain death
  - withdrawal of life-sustaining treatments and, 448
- Burnout
  - caregiver-related, 541–542
    - factors contributing to, 542–543
  - defined, 541

### C

---

- Care
  - healing vs.
    - in critical care, 489

- Caregiver(s)
  - burnout of, 541–542
    - factors contributing to, 542–543
  - caring for, **541–547**
  - stress of
    - factors contributing to, 542–543
  - uncertainty for
    - dealing with, 545–546
- Caregiver–patient relationship, 544
- Clonidine
  - for pain in ICU, 394
- Cognition
  - impaired
    - in dying patients
      - prevalence of, 410–411
- Coma
  - withdrawal of life-sustaining treatments and, 448
- Communication
  - about end-of-life care
    - with patients and families in ICU, **363–380**. See also *End-of-life care, communication about, with patients and families in ICU*.
  - in caring for family of critically ill patient, 454–455
- Conflict
  - caring for family of critically ill patient and, 454–455
- Consent
  - informed
    - in withdrawal of life-sustaining treatments, 438–439
- Coping
  - spiritual
    - in critical care, 495
- Critical care
  - healing vs. care in, 489
  - spirituality in, **487–504**. See also *Spirituality, in critical care*.

## Critically ill patients

## family of

caring for, **453–466**. See also *Family(ies), of critically ill patient, caring for*.

**D**

## Death

clinicians' discomfort with discussing understanding of, 377

## Delirium

among dying patients, **419–433**

## Dying patients

delirium and sedation related to,

**419–433**. See also *Sedation*.

impaired cognition in

prevalence of, 410–411

in ICU

interdisciplinary team's role in,

**525–540**

bioethical decision making, 530–531

collaboration among,

527–528

research on, 528–530

communication with

family members

research on, 532–534

nurses on team

research on, 531–532

teams external to ICU,

535–536

respiratory distress in

prevalence of, 409–410

terminal dyspnea in

prevalence of, 409–410

## Dyspnea

defined, 404

described, 404–406

terminal

antecedent conditions producing,

406–409

physiologic antecedents,

407–409

assessment of, 411–412

ethical considerations related

to, 413

in dying patients

prevalence of, 409–410

respiratory distress and, **403–417**

models of, 404–406

treatment of, 412–413

**E**

## Emotional support

in withdrawal of life-sustaining treatments, 444–445

## End-of-life care

## communication about

with patients and families in ICU, **363–380**

clinicians' discomfort

with, 377

clinicians effectiveness

in, 365

discussion of, 369–374

completion of, 372–374

components in, 368

dying and death in,

370–372

preparations for,

369–370

ICU team's role in, 366–367

improvements for, 365–366

medical futility in, 375–377

personnel involved in,

364–365

timing of, 367, 369

uniqueness of, 364

withholding or withdrawing

life support, 374–375

in pediatric ICU, **467–485**

analgesia for, 477

ethical justification for, 477–478

future directions related to,

482–483

grief and bereavement of health

care professionals, 480–482

literature related to, 469–476

neuromuscular blockade in,

478–479

practical aspects of, 477–480

prevalence of, 467

resuscitation attempts

family presence during,

479–480

pain management in

approaches to, 395–396

problems associated with, 453–454

sedation during, **419–433**

## End-of-life decision making

by family of critically ill patient

considerations related to, 455–458

ICU outcome prediction models in

future directions in, 359–360

mortality-related, 347–354

context of, 346

historical background of, 346

model performance and

interpretation in,

349–354

beyond  $R^2$ , 349–350

model discrimination in,

352–354

probability of death in,

350–352

- model speculation in, 369  
 discharge vs. admissions models, 348  
 dynamic vs. static models, 348–349  
 generic vs. disease-specific models, 346–348  
 policy-related, 359–360  
 quality improvement and, 359  
 research-related, 359–360  
 use in clinical decision making, 354–359  
 value and role of, **345–362**
- Ethical issues  
 ICU-related, **505–523**. See also *Intensive care unit (ICU), ethical issues in*.  
 respiratory distress-related, 413  
 spirituality in critical care-related, 490–495  
 terminal dyspnea-related, 413
- 
- F**
- Family(ies)  
 of critically ill patient  
 anticipatory grief in, 460–462  
 caring for, **453–466**  
 communication and conflict in, 454–455  
 satisfaction of, 453–454  
 end-of-life decision making by considerations related to, 455–458  
 psychosocial needs of, 458–460
- 
- G**
- Grief  
 anticipatory  
 in family of critically ill patient, 460–462  
 of health care professionals  
 in end-of-life care in pediatric ICU, 480–482
- 
- H**
- Healing  
 care vs.  
 in critical care, 489
- 
- I**
- ICU. See *Intensive care unit (ICU)*.
- Informed consent  
 in withdrawal of life-sustaining treatments, 438–439
- Intensive care unit (ICU)  
 advance care planning in, 333–334  
 communication about end-of-life care with patients and families in, **363–380**. See also *End-of-life care, communication about, with patients and families in ICU*.  
 dying patients in  
 interdisciplinary team's role in, **525–540**. See also *Dying patients, in ICU, interdisciplinary team's role in*.  
 ethical issues in, **505–523**  
 case study, 505–506  
 effectiveness of, 510–513  
 emergence of, 507–509  
 models for, 513–517  
 vs. palliative care consultation, 517–520  
 life-sustaining treatment in  
 withholding and withdrawal of, 332–333  
 medical decision making in  
 models of, 331–332  
 pain management in, **381–401**. See also *Pain management, in ICU*.  
 palliative care consultation in, **505–523**  
 case study, 505–506  
 effectiveness of, 510–513  
 emergence of, 507–509  
 models for, 513–517  
 vs. ethics, 517–520  
 palliative care in, **329–343**  
 education for, 337  
 future research related to, 338–339  
 instrumentation in, 338–339  
 protocols for, 338–339  
 pediatric  
 end-of-life care in, **467–485**. See also *End-of-life care, in pediatric ICU*.  
 physician–patient–family relationship in, 334–337  
 stressors specific to, 543–544  
 symptom control in, 329–331
- Intensive care unit (ICU) outcome  
 prediction models  
 in end-of-life decision making  
 value and role of, **345–362**
- Interdisciplinary team  
 described, 526  
 role with dying patients in ICU, **525–540**. See also *Dying patients, in ICU, interdisciplinary team's role in*.

**K**

Ketorolac  
for pain in ICU, 394

**L**

Life support  
withholding or withdrawal of  
decision-making related to,  
374–375

Life-sustaining treatments  
in ICU  
withholding and withdrawal of,  
332–333

withdrawal of  
appropriate setting and monitoring  
during, 439–440  
brain death due to, 448  
coma due to, 448  
decision to  
principles and practice of,  
437–438  
documentation in, 445  
emotional support in, 444–445  
evaluation of, 445–446  
in special cases, 446–449  
informed consent and, 438–439  
nursing support in, 444–445  
pastoral support in, 444–445  
pharmacologic paralysis due to,  
448–449  
plan for, 441–444  
principles and practice of, **435–451**  
mechanical ventilation,  
435–437  
sedation and analgesia in, 440–441  
survival despite, 447–448

**M**

Mechanical ventilation  
noninvasive  
withdrawal of, 446

withdrawal of  
plan for, 443–444  
principles of, 435–437  
with potential survival, 447

**N**

Neuromuscular blockade  
in end-of-life care in pediatric ICU,  
478–479

## Nociception

physiology of  
implications in pain therapy,  
386–388

## Nursing support

in withdrawal of life-sustaining  
treatments, 444–445

**O**

## Opiate(s)

for pain in ICU, 390–392  
adverse effects of, 393–394

**P**

## Pain management

in ICU, **381–401**  
adjuvant therapies in, 394–395  
analgesic agents in, 392–393  
approaches to, 395–396  
evaluation of, 388–389  
monitoring of, 388–389  
nonopiate therapies in, 394–395  
opiates in  
adverse effects of, 393–394  
dosing and titration of,  
391–392  
route and method for,  
390–391  
physiology of nociception in,  
386–388  
principles of, 389–390  
within interdisciplinary  
palliative model  
principles of, 382–385

## Palliative care

in ICU, **329–343**. See also *Intensive care unit (ICU)*.

## Palliative care consultation

ICU-related, **505–523**. See also *Intensive care unit (ICU)*, *palliative care consultation in*.

## Palliative care education

ICU-related, 337

## Pastoral support

in withdrawal of life-sustaining  
treatments, 444–445

## Pediatric ICU

end-of-life care in, **467–485**. See also  
*End-of-life care, in pediatric ICU*.

## Pharmacologic paralysis

withdrawal of life-sustaining treatments  
and, 448–449

## Physician–patient–family relationship

in ICU, 334–337

## Psychosocial needs

of family in ICU, 458–460

**R**

- 
- Respiratory distress  
 antecedent conditions producing,  
 406–409  
   physiologic antecedents, 407–409  
 assessment of, 411–412  
 defined, 404  
 ethical considerations related to, 413  
 in dying patients  
   prevalence of, 409–410  
 terminal dyspnea and, **403–417**. See also  
*Dyspnea, terminal*.  
 treatment of, 412–413
- Resuscitation attempts  
 in pediatric ICU  
   family presence during, 479–480

**S**

- 
- Sedation  
 during end-of-life care, **419–433**  
 for dying patients, **419–433**  
   after changing goals of care,  
   424–429  
   analgesia, 422–423  
   for anxiety, 423–424  
   goals of  
     communication of, 429–430  
 in withdrawal of life-sustaining  
 treatments, 440–441
- Spiritual care  
 in critical care, 496–497, 499–501
- Spiritual coping  
 in critical care, 495
- Spirituality  
 in critical care, **487–504**

- as patient need, 491–492  
 ethical issues related to, 490–495  
 healing vs. care and, 489  
 in patient and caregiver coping,  
 493–495  
 praying with patients and families  
 or loved ones, 501  
 spiritual care and, 496–497,  
 499–501  
 spiritual coping and, 495  
 spiritual history and, 497–499  
 suffering and, 488–489

**Stress**

- caregiver-related  
 factors contributing to, 542–543

**Stressor(s)**

- ICU-related, 543–544

**Study to Understand Prognosis and Preference for Outcomes and Risks of Treatment, 453****Suffering**

- defined, 488–489

**Support**

- in withdrawal of life-sustaining  
 treatments, 444–445

**T**

- 
- Terminal dyspnea  
 respiratory distress and, **403–417**

**V**

- 
- Ventilation  
 mechanical. See *Mechanical ventilation*.