

Cumulative Index 2004

Volume 20

January	TRAUMA, pages 1–198
April	BLOOD TRANSFUSION IN THE CRITICALLY ILL, pages 159–328
July	END-OF-LIFE CARE, pages 329–553
October	CRITICAL ILLNESS IN PREGNANCY, pages 555–807

Note: Page numbers of article titles are in **boldface** type.

A

Abdomen

- damage control surgery for
procedure for, 107–109

Abdominal compartment syndrome

- damage control surgery and, 114–115

Abdominal injuries

- blunt trauma and, 119
- critical concepts in, **119–134**
- diagnosis of, 120–123
 - CT in, 122–123
 - diagnostic peritoneal lavage in, 122
 - FAST in, 121
 - laparoscopy in, 123
 - local wound exploration in,
120–121
 - physical examination in, 120
 - radiography in, 121
- management of
 - complications in, 130
- mechanism of injury in, 119–120
- of diaphragm, 123–124
- of duodenum, 127–128
- of hollow viscus, 128–129
- of liver and spleen, 124–126
- of pancreas, 126–127
- penetrating trauma, 119–120

Acidosis

- damage control surgery for, 104
 - procedure for, 112–113
- metabolic
 - nutritional support of critically ill
and injured patients and, 150

Acute fatty liver of pregnancy (AFLP),

- 771–774
- clinical manifestations of, 772
- described, 771
- diagnosis of
 - laboratory investigation in,
772–773
 - pathophysiology of, 771–772
 - treatment of, 773–774

Acute lung injury (ALI)

- causes of, 578–580
- defined, 578
- diagnosis of
 - pulmonary function tests in,
585–586
- epidemiology of, 578
- high PEEP and, 582
- in pregnancy, **577–607**
 - pulmonary edema and, 586–591
 - mechanical ventilation and, 630–682
 - mortality associated with, 584–585
 - neutrophil-dependent
ARDS and, 580–581
 - pathogenesis of, 580
 - prognosis of, 584–585
 - quality of life effects of, 585
 - risk factors for, 578–580
 - treatment of
 - corticosteroids in, 584
 - fluid management in, 582–583
 - inhaled nitric oxide in, 583
 - outcomes of, 584–585
 - prone positioning in, 583
 - surfactants in, 583–584
- ventilator-associated
ARDS and, 581
- ventilator-induced, 581

- Acute normovolemic hemodilution, 290–291
- Acute renal failure (ARF)
rhabdomyolysis and
management of, 180
- Acute respiratory distress syndrome (ARDS)
causes of, 84–85, 578–580
characteristics of, 83
defined, 577–578
described, 83
diagnosis of
pulmonary function tests in,
585–586
epidemiology of, 578
high PEEP and, 582
in pregnancy, **577–607**
effects of, 594–595
issues related to, 591
management of, 595–596
mechanical ventilation and, 630–632
mortality associated with, 584–585
pathogenesis of, 580
pathophysiology of, 85–87
prognosis of, 584–585
quality of life effects of, 585
risk factors for, 578–580
treatment of, **83–99**
corticosteroids in, 584
fluid management in, 582–583
inhaled nitric oxide in, 583
outcome after, 97, 584–585
prone positioning in, 583
protocolized approach to, 94–97
surfactants in, 583–584
ventilator management in, 91–94
ventilator-induced lung injury and,
87–89
- β_2 -Adrenergic agonists
for asthma during pregnancy, 735
- Advance care planning
in ICU, 333–334
- Advanced cardiac life support
in pregnant patients, 749–750
- AFLP. See *Acute fatty liver of pregnancy (AFLP)*.
- Africa
critical illness and pregnancy issues in,
569–571
- Age
as factor in blood transfusions, 286–287
- Air embolism
venous
in pregnancy, 590–591
- Airway(s)
upper
mucosal edema of
airway problems during
pregnancy due to, 618
- Airway problems
during pregnancy, **617–642**
anesthesia-related morbidity and
mortality, 621–623
anticipated
treatment of, 627
aspiration and, 620
awake fiberoptic intubation for,
627–629
breast enlargement and, 619
cardiovascular system–related, 619
Combitube for, 636
gastrointestinal anatomy and
physiology–related,
619–620
LMA for, 633–635
intubating, 635
Proseal, 635
local anesthesia for, 630–633
management of
current trends in, 637–638
guidelines in, 623–627
morbid obesity and, 620–621
preanesthetic evaluation and, 623
preeclampsia and, 621
regional anesthesia for, 629–630
respiratory changes and, 618–619
risk factors for, 617–620
transtracheal jet ventilation for, 636
upper airway mucosal edema
and, 618
weight gain and, 618
- ALI. See *Acute lung injury (ALI)*.
- Allergic transfusion reaction
transfusions in ICU and, 241
- Alloimmunization
platelet
transfusions in ICU and, 244
- Amino acids
in critically ill and injured patients, 142
- Amniotic fluid embolism, **643–649**
clinical manifestations of, 646–648
described, 643
incidence of, 643–644
morbidity due to, 643–644
mortality due to, 643–644
pathogenesis of, 644–646
pathophysiology of, 644–646
treatment of, 648
- Analgesia/analgesics
for pain in ICU, 392–393
in withdrawal of life-sustaining
treatments, 440–441
- Anaphylactic transfusion reactions
transfusions in ICU and, 241

- Anemia**
 adaptation to, 190–195
 bleeding-related, 165
 hemolytic, 164–165
 in cancer patients, 166–168
 in critically ill patients, **159–178**,
225–235
 erythropoiesis and, 160–162
 hematocrit in, 172–173
 hemodilution in, 172–173
 physiologic response and, 168–171
 transfusion for, 171
 in high-risk groups, 227–228
 in ICU, 299–301
 adaptation to, 300
 impairment to adaptive mechanisms
 in, 300–301
 pathophysiology of, 299–300
 inflammation and, 162–164
 iron-deficiency, 164
 microcirculatory effects of, 195–196
 of critical illness
 phlebotomy and, 314–316
 pathophysiologic processes and
 interaction between, 196–202
 physiologic aspects of, **187–212**
 renal failure due to, 166
 tolerance of
 physiologic response and, 168–171
 transfusions for
 adaptation to, 190–195
 benefits of, 228–233
 uncorrected
 natural history of, 225–227
- Anemia and Blood Transfusion in Critical Care
 (ABC) trial**, 180–181, 256
- Anesthesia/anesthetics**
 during pregnancy, 708
 airway problems related to,
 621–623
 local
 for airway problems during
 pregnancy, 630–633
 regional
 for airway problems during
 pregnancy, 629–630
- Angiography**
 pulmonary
 in pulmonary embolism
 diagnosis, 667
 radionuclide
 in blunt cardiac injury, 65
- Antibiotic(s)**
 for sepsis in pregnancy, 656–657
- Anticipatory grief**
 in family of critically ill patient,
 460–462
- Anticoagulant(s)**
 for pulmonary embolism during
 pregnancy, 668–671
 for VTE during pregnancy, 668–671
- Anti-inflammatory agents**
 for sepsis in pregnancy, 658
- Anxiety**
 among dying patients
 sedation for, 423–424
- ARDS**. See *Acute respiratory distress
 syndrome (ARDS)*.
- ARF**. See *Acute renal failure (ARF)*.
- Arginine**
 in critically ill and injured patients, 144
- Arterial venous catheters**
 in anemia of critical illness, 315
- Asia**
 critical illness and pregnancy issues in,
 566–569
- Aspiration**
 airway problems during pregnancy due
 to, 620
 of gastric contents
 in pregnancy, -589
- Asthma**
 acute
 during pregnancy, **731–745**
 effects of, 732–733
 management of, 738–739
 systemic corticosteroids
 in, 736
 during labor and delivery
 management of, 741
 during pregnancy
 management of, 734–737
 β_2 -adrenergic agonists in, 735
 drugs in
 efficacy and safety of,
 734–735
 inhaled corticosteroids in,
 735–736
 ipratropium bromide in, 737
 methylxanthines in, 737
 obstetric, 741
 life-threatening
 during pregnancy, 739–740
- Australia**
 critical illness and pregnancy issues in,
 571–572
- Awake fiberoptic intubation**
 for airway problems during pregnancy,
 627–629

- Azotemia
 nutritional support of critically ill and injured patients and, 149
- B**
-
- Bereavement
 of health care professionals
 in end-of-life care in pediatric ICU, 480-482
- Bioethical decision making
 among interdisciplinary team
 dying patients in ICU and, 530-531
- Bleeding-related anemia, 165
- Blood conservation
 for critically ill patients, **313-324**
 appropriate transfusion thresholds in, 319-320
 blood substitutes in, 319
 pharmacologic hemostasis in, 318-319
 point-of-care bedside microanalysis in, 317
 RBC salvage techniques in, 317-318
 recombinant human erythropoietin in, 318
 small volume phlebotomy tubes in, 316
 techniques for
 evaluation of, 320-321
 incorporation of, 320-321
- Blood substitutes
 in blood conservation, 319
 in transfusions, 289-290
- Blood transfusion(s)
 current practice in, **179-186**
 studies of
 common themes among, 183
 studies related to, 179-185
 Anemia and Blood
 Transfusion in Critical
 Care (ABC) trial,
 180-181
 CRIT trial, 181-182
 good practice of, 183-185
 in military situations, 282-283
 in surgery, **281-296**
 age-related effects on, 286-287
 blood substitutes in, 289-290
 bloodless surgery centers, 293
 critical care issues, 283-284
 damage control surgery, 293
 effects of, 285-286
 elective surgery, 284
 emergency-related, 284-285
 history of, 281-282
 intraoperative blood recovery, 291-292
 "less-blood surgery," 292-293
 in trauma
 age-related effects on, 286-287
 blood substitutes in, 289-290
 effects of, 285-286
 emergency-related, 284-285
- Blood transfusion thresholds
 in blood conservation, 319-320
- Bloodless surgery centers, 293
- Blunt cardiac injury, **57-70**
 assessment of, 60-65
 cardiac enzymes in, 63-64
 ECG in, 60-63
 echocardiography in, 64-65
 radionuclide angiography in, 65
 cardiac function after
 long-term, 66-67
 diagnosis of, 59-60
 incidence of, 57
 management of, 66
 mechanism of, 57-58
 natural history of, 57-58
 pattern of, 58
- Blunt trauma
 abdominal injuries due to, 119
 thoracic, **71-81**. See also specific type
 and *Thoracic trauma, blunt*.
- Brain death
 in pregnant patients
 somatic support, 752-759. See also
*Pregnant patients,
 brain dead*.
 withdrawal of life-sustaining treatments
 and, 448
- Brain injuries
 management of, **25-41**
 alternative methods in, 38-40
 ICU, 33-38
 monitoring in, 40-41
 post-ICP, 34-37
 preintensive care unit, 33-34
 resuscitation in, 26-33
 airway management, 26-27
 algorithms in, 29-33
 disability and, 29
 fluid resuscitation, 27-28
 second tier therapy in, 37-38
 targeted therapy in, 41
 secondary insults, 25-26
- Breast(s)
 enlargement of
 airway problems during pregnancy
 due to, 619

- Burn injuries
nutritional support for, 151
- Burnout
caregiver-related, 541–542
factors contributing to, 542–543
defined, 541
-
- C**
- Caloric/energy requirements
in critically ill and injured patients, 141
- Canada
critical illness and pregnancy issues
in, 562
- Cancer
anemia in patients with, 166–168
- Cardiac arrest
during pregnancy
causes of, 748
- Cardiac contractility
compromised
transfusions in, 271
- Cardiac enzymes
in blunt cardiac injury, 63–64
- Cardiac injuries
blunt, **57–70**. See also *Blunt cardiac injury*.
- Cardiac patients
transfusion in, **269–279**. See also *Transfusion(s), in cardiac patients*.
- Cardiomyopathy(ies)
peripartum, **777–788**. See also *Peripartum cardiomyopathy*.
- Cardiopulmonary resuscitation (CPR)
in pregnant patients, **747–761**. See also *Pregnant patients, brain dead*.
described, 747–748
perimortem cesarean delivery,
750–752
physiologic changes and, 748–752
- Cardio-respiratory events
transfusions in ICU and, 241–242
- Cardiovascular support
for brain dead pregnant patients,
753–754
- Cardiovascular system
airway problems during pregnancy
related to, 619
- Care
healing vs.
in critical care, 489
- Caregiver(s)
burnout of, 541–542
factors contributing to, 542–543
caring for, **541–547**
stress of
factors contributing to, 542–543
uncertainty for
dealing with, 545–546
- Caregiver–patient relationship, 544
- Catheter(s)
arterial venous
in anemia of critical illness, 315
central venous
in anemia of critical illness, 315
- Central line complications
nutritional support of critically ill and
injured patients and, 151
- Central venous catheters
in anemia of critical illness, 315
- Chest
damage control surgery for
procedure for, 109–111
- Children
transfusions in, **299–311**. See also *Transfusion(s), in children*.
- Clonidine
for pain in ICU, 394
- CMV. See *Cytomegalovirus (CMV)*.
- Coagulation defects
in HELLP syndrome, 769
in trauma patients, **13–24**
causes of, 13–15
dilution and, 13–14
hypothermia and, 14
recognition of, 16–17
testing in, 16–17
trauma and, 15
treatment of, 17–21
adjunctive, 19–21
before procedures in, 21
transfusions in, 17–19
underlying disease and, 15
- Coagulopathy(ies)
damage control surgery for
procedure for, 113
damage control surgery in, 104
- Cognition
impaired
in dying patients
prevalence of, 410–411
- Coma
withdrawal of life-sustaining treatments
and, 448

- Combitube
for airway problems during pregnancy, 636
- Communication
about end-of-life care
with patients and families in ICU, 363–380. See also *End-of-life care, communication about, with patients and families in ICU.*
in caring for family of critically ill patient, 454–455
- Compartment syndrome
rhabdomyolysis and management of, 181–182
- Compressive ultrasound
in deep vein thrombosis diagnosis, 664–665
- Computed tomography (CT)
in abdominal injuries, 122–123
in pulmonary embolism, 666–667
- Conflict
caring for family of critically ill patient and, 454–455
- Consent
informed
in withdrawal of life-sustaining treatments, 438–439
- Contusion(s)
pulmonary
thoracic trauma and, 77–78
- Coping
spiritual
in critical care, 495
- Coronary artery disease
transfusions in, 270–271
- Corticosteroid(s)
for ALI and ARDS, 584
inhaled
for asthma during pregnancy, 735–736
systemic
for asthma during pregnancy, 736
- CPR. See *Cardiopulmonary resuscitation (CPR).*
- Creutzfeldt-Jakob disease
new variant
transfusion-transmitted, 248–249
transfusion-transmitted, 248
- CRIT trial, 181–182
- Critical care
healing vs. care in, 489
spirituality in, 487–504. See also *Spirituality, in critical care.*
- Critical illness
pregnancy and
global analysis of, 555–576. See also *Pregnancy, critical illness and, global analysis of.*
- Critically ill patients
anemia in, 159–178, 225–235. See also *Anemia, in critically ill patients.*
family of
caring for, 453–466. See also *Family(ies), of critically ill patient, caring for.*
- Crush injuries
mass casualties, 186–187
rhabdomyolysis due to, 171–192. See also *Rhabdomyolysis, crush injuries and.*
- Crush syndrome, 174–176
- CT. See *Computed tomography (CT).*
- Cystic fibrosis
during pregnancy, 713–716
- Cytomegalovirus (CMV)
transfusion-transmitted, 247
-
- D**
- Damage control surgery, 101–118, 293
abdomen-related
procedure for, 109
abdominal compartment syndrome due to, 114–115
acidosis-related, 104
chest-related
procedure for, 109–111
coagulopathy-related, 104–106
complications of, 114
historical perspective on, 101–102
hypothermia-related, 103–104
procedure for, 106–113
for acidosis, 112–113
for coagulopathy, 113
for hypothermia, 111–112
initial management, 106–107
resuscitation in, 111–113
results of, 114–115
- Death
clinicians' discomfort with discussing understanding of, 377
- Deep vein thrombosis
during pregnancy
diagnosis of, 664–666

- Delirium
among dying patients, **419–433**
- Diagnostic peritoneal lavage
in abdominal injuries, 122
- Diaphragm
injuries of, 123–124
- Dilution
coagulation defects in trauma patients
due to, 13–14
- D-Dimer testing
in deep vein thrombosis diagnosis,
665–666
- Disability(ies)
brain injuries and
management of
resuscitation in, 29
- Duodenum
injuries of, 127–128
- Dying patients
delirium and sedation related to,
419–433. See also *Sedation*.
impaired cognition in
prevalence of, 410–411
in ICU
interdisciplinary team's role in,
525–540
bioethical decision making,
530–531
collaboration among,
527–528
research on, 528–530
communication with
family members
research on, 532–534
nurses on team
research on, 531–532
teams external to ICU,
535–536
respiratory distress in
prevalence of, 409–410
terminal dyspnea in
prevalence of, 409–410
- Dyspnea
defined, 404
described, 404–406
terminal
antecedent conditions producing,
406–409
physiologic antecedents,
407–409
assessment of, 411–412
ethical considerations related
to, 413
in dying patients
prevalence of, 409–410
respiratory distress and, **403–417**
models of, 404–406
treatment of, 412–413
-
- E**
- ECG. See *Electrocardiography (ECG)*.
- Echocardiography
in blunt cardiac injury, 64–65
- Eclampsia, 703–707, 764–765
clinical manifestations of, 765
pathophysiology of, 764
prevalence of, 764
treatment of, 706–707, 765
- Edema
mucosal
upper airway
airway problems during
pregnancy due to, 618
pulmonary. See *Pulmonary edema*.
- Elderly
transfusions in, 271
trauma in
initial management of, 7–8
- Electrocardiography (ECG)
in blunt cardiac injury, 60–63
- Electrolyte requirements
in critically ill and injured patients,
142–143
- Embolectomy
for pulmonary embolism during
pregnancy, 673–674
for VTE during pregnancy, 673–674
- Embolism
air
venous
in pregnancy, 590–591
amniotic fluid, **643–649**. See also
Amniotic fluid embolism.
- Emotional support
in withdrawal of life-sustaining
treatments, 444–445
- Endocrine support
for brain dead pregnant patients,
754–755
- End-of-life care
communication about
with patients and families in ICU,
363–380
clinicians' discomfort
with, 377
clinicians effectiveness
in, 365

- discussion of, 369–374
 - completion of, 372–374
 - components in, 368
 - dying and death in, 370–372
 - preparations for, 369–370
 - ICU team's role in, 366–367
 - improvements for, 365–366
 - medical futility in, 375–377
 - personnel involved in, 364–365
 - timing of, 367, 369
 - uniqueness of, 364
 - withholding or withdrawing life support, 374–375
- in pediatric ICU, **467–485**
 - analgesia for, 477
 - ethical justification for, 477–478
 - future directions related to, 482–483
 - grief and bereavement of health care professionals, 480–482
 - literature related to, 469–476
 - neuromuscular blockade in, 478–479
 - practical aspects of, 477–480
 - prevalence of, 467
 - resuscitation attempts
 - family presence during, 479–480
- pain management in
 - approaches to, 395–396
- problems associated with, 453–454
- sedation during, **419–433**
- End-of-life decision making
 - by family of critically ill patient
 - considerations related to, 455–458
 - ICU outcome prediction models in
 - future directions in, 359–360
 - mortality-related, 347–354
 - context of, 346
 - historical background of, 346
 - model performance and interpretation in, 349–354
 - beyond R^2 , 349–350
 - model discrimination in, 352–354
 - probability of death in, 350–352
 - model speculation in, 369
 - discharge vs. admissions models, 348
 - dynamic vs. static models, 348–349
 - generic vs. disease-specific models, 346–348
 - policy-related, 359–360
 - quality improvement and, 359
 - research-related, 359–360
 - use in clinical decision making, 354–359
 - value and role of, **345–362**
 - Enzyme(s)
 - cardiac
 - in blunt cardiac injury, 63–64
 - Epogen
 - as adjunct to transfusion/conservation methods, 288–289
 - Erythropoiesis
 - described, 160
 - in critically ill patients, 160–162
 - Ethical issues
 - ICU-related, **505–523**. See also *Intensive care unit (ICU), ethical issues in*.
 - of brain dead pregnant patients, 758–759
 - respiratory distress-related, 413
 - spirituality in critical care-related, 490–495
 - terminal dyspnea-related, 413
 - Europe
 - critical illness and pregnancy issues in, 562–566

F

 - Family(ies)
 - of critically ill patient
 - anticipatory grief in, 460–462
 - caring for, **453–466**
 - communication and conflict in, 454–455
 - satisfaction of, 453–454
 - end-of-life decision making by considerations related to, 455–458
 - psychosocial needs of, 458–460
 - FAST. See *Focused assessment with sonography for trauma (FAST)*.
 - Fat emboli syndrome
 - femoral fractures and
 - in multiply injured patient, 161
 - Fat overload syndrome
 - nutritional support of critically ill and injured patients and, 149
 - Febrile nonhemolytic reaction
 - transfusions in ICU and, 240–241
 - Femoral fractures
 - in multiply injured patient
 - evaluation of, 157–158

- fat emboli syndrome and, 161
 - fracture fixation for
 - timing of, 159
 - head injuries associated with, 159–161
 - initial management of, **157–169**
- Fetus
- during normal pregnancy
 - physiology of, 613–614
- Fick equation, 140
- Flail chest
- thoracic trauma and, 74–76
- Fluid(s)
- with ALI and ARDS, 582–583
- Focused assessment with sonography for trauma (FAST)
- in abdominal injuries, 121
- Fracture(s)
- femoral
 - in multiply injured patient
 - initial management of, **157–169**
 - in multiply injured patients
 - initial management of. See also *Femoral fractures, in multiply injured patient.*
 - pelvic
 - in multiply injured patient
 - initial management of. See also *Pelvic fractures, in multiply injured patient.*
 - rib
 - thoracic trauma and, 73–74

G

- Gastrointestinal system
- anatomy and physiology of
 - airway problems during pregnancy related to, 619–620
- Glucose/insulin
- in critically ill and injured patients, 142
- Glutamine
- in critically ill and injured patients, 144
- Graft-versus-host disease
- transfusion-associated, 244–245
- Grief
- anticipatory
 - in family of critically ill patient, 460–462
 - of health care professionals
 - in end-of-life care in pediatric ICU, 480–482

H

- Head injuries
- femoral fractures and
 - in multiply injured patient, 159–161
 - nutritional support for, 151
- Healing
- care vs.
 - in critical care, 489
- HELLP syndrome, 765–771
- clinical manifestations of, 766–768
 - coagulation abnormalities in, 769
 - described, 765–766
 - diagnosis of
 - laboratory investigation in, 768–769
 - differential diagnosis of, 709
 - during pregnancy, 708–709
 - liver function in, 769
 - pathophysiology of, 766
 - renal failure in, 769
 - treatment of, 709, 770–771
- Hematocrit
- hemodilution and, 172–173
- Hemodilution
- hematocrit and, 172–173
- Hemolytic anemia, 164–165
- Hemolytic transfusion reactions
- transfusions in ICU and, 238–240
- Hemosiderosis
- transfusion-related, 245
- Hemostasis
- pharmacologic
 - in blood conservation, 318–319
- Hepatic steatosis
- nutritional support of critically ill and injured patients and, 150
- Hepatitis
- transfusion-transmitted, 246–247
- HIV infection. See *Human immunodeficiency virus (HIV) infection.*
- Hollow viscus
- injuries of, 128–129
- Human immunodeficiency virus (HIV) infection
- transfusion-transmitted, 245–246
- Hypercapnia
- maternal
 - effects of, 592–594
 - nutritional support of critically ill and injured patients and, 150

- Hypertension
 chronic
 during pregnancy, 701–703
 pregnancy-induced
 pathogenesis of, 701
- Hypertensive disorders
 during pregnancy, **699–713**
 anesthesia and, 708
 chronic hypertension, 701–703
 described, 699–700
 eclampsia, 703–707
 HELLP syndrome, 708–709
 pathogenesis of, 701
 preeclampsia, 703–707
 seizures, 707–708
 treatment of
 postpartum course, 709
- Hypertriglyceridemia
 nutritional support of critically ill and injured patients and, 149–150
- Hypocapnia
 maternal
 effects of, 592
- Hypothermia
 coagulation defects in trauma patients due to, 14
 damage control surgery for, 103–104
 procedure for, 111–112

I

- ICU. See also *Intensive care unit (ICU)*.
- Immunocompetence
 in critically ill and injured patients, 138
- Immunomodulation
 transfusion-related, 245
- Immunonutrition
 in critically ill and injured patients, 144–146
- Impedance plethysmography
 in deep vein thrombosis diagnosis, 665
- Infection(s)
 emerging
 transfusion-transmitted, 248–249
- Infectious diseases
 in brain dead pregnant patients, 757
- Inflammation
 anemia and, 162–164
- Informed consent
 in withdrawal of life-sustaining treatments, 438–439
- Initial sample “waste”
 in anemia of critical illness, 315–316

- Insulin
 for sepsis in pregnancy, 658
- Intensive care unit (ICU)
 advance care planning in, 333–334
 anemia in, 299–301
 brain injury management in, 33–38. See also *Brain injuries, management of*.
 cardiac patients in
 transfusions for, 272–274
 communication about end-of-life care with patients and families in, **363–380**. See also *End-of-life care, communication about, with patients and families in ICU*.
 critical illness during pregnancy and admission to
 global analysis of, 557–559
 dying patients in
 interdisciplinary team’s role in, **525–540**. See also *Dying patients, in ICU, interdisciplinary team’s role in*.
 ethical issues in, **505–523**
 case study, 505–506
 effectiveness of, 510–513
 emergence of, 507–509
 models for, 513–517
 vs. palliative care consultation, 517–520
 life-sustaining treatment in
 withholding and withdrawal of, 332–333
 medical decision making in
 models of, 331–332
 pain management in, **381–401**. See also *Pain management, in ICU*.
 palliative care consultation in, **505–523**
 case study, 505–506
 effectiveness of, 510–513
 emergence of, 507–509
 models for, 513–517
 vs. ethics, 517–520
 palliative care in, **329–343**
 education for, 337
 future research related to, 338–339
 instrumentation in, 338–339
 protocols for, 338–339
 pediatric
 end-of-life care in, **467–485**. See also *End-of-life care, in pediatric ICU*.
 physician–patient–family relationship in, 334–337
 stressors specific to, 543–544
 symptom control in, 329–331
 transfusions in
 risk factors for, **237–253**

Intensive care unit (ICU) outcome
 prediction models
 in end-of-life decision making
 value and role of, **345–362**

Interdisciplinary team
 described, 526
 role with dying patients in ICU,
525–540. See also *Dying patients,
 in ICU, interdisciplinary team's
 role in*.

Intraoperative blood recovery
 during transfusion, 291–292

Ipratropium bromide
 for asthma during pregnancy, 737

Iron-deficiency anemia, 164

IVC filters
 for pulmonary embolism during
 pregnancy, 672
 for VTE during pregnancy, 672

K

Ketorolac
 for pain in ICU, 394

L

Labor and delivery
 asthma during
 management of, 741

Laparoscopy
 in abdominal injuries, 123

Laryngeal mask airway (LMA)
 for airway problems during pregnancy,
 633–635
 intubating
 for airway problems during
 pregnancy, 635

Proseal
 for airway problems during
 pregnancy, 635

Legal issues
 of brain dead pregnant patients, 758–759

“Less-blood surgery,” 292–293

Life support
 withholding or withdrawal of
 decision-making related to,
 374–375

Life-sustaining treatments
 in ICU
 withholding and withdrawal of,
 332–333

withdrawal of
 appropriate setting and monitoring
 during, 439–440
 brain death due to, 448
 coma due to, 448
 decision to
 principles and practice of,
 437–438
 documentation in, 445
 emotional support in, 444–445
 evaluation of, 445–446
 in special cases, 446–449
 informed consent and, 438–439
 nursing support in, 444–445
 pastoral support in, 444–445
 pharmacologic paralysis due to,
 448–449
 plan for, 441–444
 principles and practice of, **435–451**
 mechanical ventilation,
 435–437
 sedation and analgesia in, 440–441
 survival despite, 447–448

Linoleic acid
 in critically ill and injured patients, 144

Liver
 injuries of, 124–126

Liver dysfunction
 severe
 pregnancy-associated, **763–776**
 AFLP, 771–774
 HELLP syndrome, 765–771

Liver function
 in HELLP syndrome, 769

LMA. See *Laryngeal mask airway (LMA)*.

Local anesthesia
 for airway problems during pregnancy,
 630–633

Lung injuries
 ventilator-induced, 87–89

M

Magnetic resonance angiography (MRA)
 in pulmonary embolism diagnosis, 668

Magnetic resonance imaging (MRI)
 in pulmonary embolism diagnosis, 668

Mannitol
 for crush injuries, 179
 for rhabdomyolysis, 179

Maternal hypercapnia
 effects of, 592–594

Maternal hypocapnia
 effects of, 592

- Mechanical ventilation
 ALI and ARDS due to, 630–582
 noninvasive
 withdrawal of, 446
 withdrawal of
 plan for, 443–444
 principles of, 435–437
 with potential survival, 447
- Medical disorders
 vs. obstetric disorders
 global analysis of, 559–560
- Metabolic acidosis
 nutritional support of critically ill and injured patients and, 150
- Metabolic requirements
 in critically ill and injured patients,
 139–140
- Methylxanthine(s)
 for asthma during pregnancy, 737
- Microcirculation
 described, 217–218
 tissue oxygen delivery in, **213–223**.
 See also *Tissue oxygen delivery, in microcirculation*.
- Military situations
 transfusions in, 282–283
- Mitral valve insufficiency
 transfusions in, 271
- MRA. See *Magnetic resonance angiography (MRA)*.
- MRI. See *Magnetic resonance imaging (MRI)*.
- Mucosal edema
 upper airway
 airway problems during pregnancy
 due to, 618
- Multiply injured patients
 femoral fractures in
 initial management of, **157–169**.
 See also *Femoral fractures, in multiply injured patient*.
 pelvic ring injuries in, 161–165. See also
Pelvic ring injuries, in multiply injured patient.
-
- N**
-
- Neuromuscular blockade
 in end-of-life care in pediatric ICU,
 478–479
- Neutrophil-dependent lung injury
 ARDS and, 580–581
- Nitric oxide
 inhaled
 for ALI and ARDS, 583
- Noception
 physiology of
 implications in pain therapy,
 386–388
- Nucleotide(s)
 in critically ill and injured patients,
 144–146
- Nursing support
 in withdrawal of life-sustaining
 treatments, 444–445
- Nutritional support
 for brain dead pregnant patients,
 756–757
 of critically ill and injured patients,
135–156
 amino acids, 142
 assessment in, 135–137
 burn injuries, 151
 caloric and nitrogen balance
 studies, 138
 caloric/energy requirements, 141
 complications of, 149–151
 electrolyte requirements, 142–143
 feeding access in, 148–149
 Fick equation, 140
 glucose/insulin, 142
 head injuries, 151
 immunocompetence in, 138
 immunonutrition, 144–146
 metabolic requirements, 139–140
 metabolic responses to, 143
 obese patients, 151
 patient population for, 140–141
 protein requirements, 141–142
 route of administration for,
 147–148
 serum albumin, 137–138
 timing of, 146–147
 trace elements, 143
-
- O**
-
- Obesity
 among critically ill and injured persons
 nutritional support for, 151
 morbid
 airway problems during pregnancy
 due to, 620–621
- Obstetric disorders
 organ failure due to
 global analysis of, 557
 racial differences in
 global analysis of, 559
 vs. medical disorders
 global analysis of, 559–560
- OHSS. See *Ovarian hyperstimulation syndrome (OHSS)*.

- Opiate(s)
for pain in ICU, 390–392
adverse effects of, 393–394
- Ovarian hyperstimulation syndrome (OHSS), **679–695**
classification of, 682–684
clinical features of, 684–687
described, 679–680
epidemiology of, 680–682
management of, 687–692
pathogenesis of, 680
prevalence of, 680–681
risk factors for, 681–682
- Overfeeding
nutritional support of critically ill and injured patients and, 149
- Oxygen delivery equation, 213
- Oxygen kinetics
RBC transfusions and, 202–203
- Oxygen transport
overview of, 187–190
- Oxygenation
for sepsis in pregnancy, 657–658
-
- P**
- Pain management
in ICU, **381–401**
adjuvant therapies in, 394–395
analgesic agents in, 392–393
approaches to, 395–396
evaluation of, 388–389
monitoring of, 388–389
nonopiate therapies in, 394–395
opiates in
adverse effects of, 393–394
dosing and titration of, 391–392
route and method for, 390–391
physiology of nociception in, 386–388
principles of, 389–390
within interdisciplinary
palliative model
principles of, 382–385
- Palliative care
in ICU, **329–343**. See also *Intensive care unit (ICU)*.
- Palliative care consultation
ICU-related, **505–523**. See also *Intensive care unit (ICU)*, *palliative care consultation in*.
- Palliative care education
ICU-related, 337
- Pancreas
injuries of, 126–127
- Parasitic infections
transfusion-transmitted, 247–248
- Pastoral support
in withdrawal of life-sustaining treatments, 444–445
- Pathophysiologic processes
anemia and
interaction between, 196–202
- Pediatric ICU
end-of-life care in, **467–485**. See also *End-of-life care, in pediatric ICU*.
- PEEP. See *Positive end-expiratory pressure (PEEP)*.
- Pelvic ring injuries
in multiply injured patient, 161–165
classification of, 163
described, 161–162
evaluation of, 162–163
management of, 164–165
urologic injuries associated with, 163–164
- Penetrating trauma
abdominal injuries due to, 119–120
- Perimortem cesarean delivery
CPR for, 750–752
- Peripartum cardiomyopathy, **777–788**
defined, 777–778
diagnostic evaluation of, 781–782
epidemiology of, 778–779
incidence of, 778
pathogenesis of, 779–781
prognosis of, 784–785
treatment of, 782–784
outcome of, 784–785
- Peritoneal lavage
diagnostic
in abdominal injuries, 122
- Pharmacologic hemostasis
in blood conservation, 318–319
- Pharmacologic paralysis
withdrawal of life-sustaining treatments and, 448–449
- Phlebotomy
and anemia of critical illness, 314–316
diagnostic
routine, 314–315
- Phlebotomy tubes
small volume, 316
- Physician–patient–family relationship
in ICU, 334–337

- Physiologic response
tolerance of anemia determined by, 168–171
- Platelet alloimmunization
transfusions in ICU and, 244
- Plethysmography
impedance
in deep vein thrombosis diagnosis, 665
- Point-of-care bedside microanalysis
in blood conservation, 317
- Positive end-expiratory pressure (PEEP)
high
ALI and ARDS effects of, 582
- Post-transfusion purpura
transfusions in ICU and, 244
- Posttraumatic respiratory failure
management of, **83–99**. See also *Acute respiratory distress syndrome (ARDS), management of*.
- Preanesthetic evaluation
airway problems during pregnancy due to, 623
- Preeclampsia, 703–707, 764–765
airway problems during pregnancy due to, 621
clinical manifestations of, 765
diagnosis of, 705–706
pathogenesis of, 703–704
pathophysiology of, 764
prediction of, 704–705
prevalence of, 764
pulmonary edema and, 588
treatment of, 706–707, 765
- Pregnancy
acute asthma during, **731–745**. See also *Asthma, acute, during pregnancy*.
advanced cardiac life support during, 749–750
airway problems during, **617–642**. See also *Airway problems, during pregnancy*.
ALI during, **577–607**
anatomic changes during
airway problems due to, 617–618
ARDS during, **577–607**. See also *Acute respiratory distress syndrome (ARDS), in pregnancy*.
aspiration of gastric contents in, -589
cardiac arrest during
causes of, 748
CPR during, **747–761**. See also *Cardiopulmonary resuscitation (CPR), in pregnant patients*.
critical illness and
global analysis of, **555–576**
antepartum vs. postpartum admissions, 560
geographic differences, 561–572. See also Europe; *specific countries or continents e.g., Africa*.
obstetric disorders
organ failure due to, 557
racial differences in, 559 vs. medical disorders, 559–560
prognostic scores and outcomes, 560–561
risk factors for ICU admissions, 557–559
cystic fibrosis during, 713–716
effects on asthma, 733–734
fetal physiologic considerations during, 731–732
hypertensive disorders during, **699–713**. See also *Hypertensive disorders, during pregnancy*.
liver dysfunction in, **763–776**. See also *Liver dysfunction, severe, pregnancy-associated*.
maternal physiologic considerations during, 731–732
normal
cardiac changes during, 611–612
fetal physiology during, 613–614
gastrointestinal changes during, 613
general changes during, 609–610
physiology of, **609–615**
renal changes during, 612
respiratory changes during, 610–611
physiologic changes during
airway problems due to, 617–618
physiologic changes of
CPR implications, 748–752
primary pulmonary hypertension during, 716–724. See also *Primary pulmonary hypertension, during pregnancy*.
puerperium and, 718–719
pulmonary disease
exacerbation of, **713–730**
pulmonary embolism during, **661–677**. See also *Pulmonary embolism, during pregnancy*.
seizures during
prevention of, 707–708
sepsis in, **651–660**. See also *Sepsis, in pregnancy*.
septic shock in, **651–660**
venous air embolism in, 590–591

- VTE during, **661–677**. See also *Venous thromboembolism (VTE)*, during pregnancy.
- Pregnant patients
 brain dead. See also *Cardiopulmonary resuscitation (CPR)*, in pregnant patients.
 cardiovascular support for, 753–754
 endocrine support for, 754–755
 ethical considerations related to, 758–759
 fetal outcomes in, 757–758
 infectious diseases in, 757
 legal considerations related to, 758–759
 nutritional support in, 756–757
 obstetric considerations in, 757–758
 respiratory support for, 755
 somatic support of, 752–759
 temperature regulation in, 755–756
- Primary pulmonary hypertension
 described, 716–718
 diagnostic classification of, 717
 during pregnancy, 716–724
 clinical presentation of, 719–720
 diagnostic evaluation of, 719–720
 management of, 720–724
 puerperium and, 718–719
- Prone positioning
 for ALI and ARDS, 583
- Proseal LMA
 for airway problems during pregnancy, 635
- Protein requirements
 in critically ill and injured patients, 141–142
- Psychosocial needs
 of family in ICU, 458–460
- Puerperium
 pregnancy and, 718–719
- Pulmonary angiography
 in pulmonary embolism diagnosis, 667
- Pulmonary contusion
 thoracic trauma and, 77–78
- Pulmonary disease
 during pregnancy. See also Primary pulmonary hypertension; *specific diseases*, e.g., Cystic fibrosis.
 cystic fibrosis, 713–716
 exacerbation of, **713–730**
 primary pulmonary hypertension, 716–724
 sarcoidosis, 724, 726–727
- Pulmonary edema
 ALI in pregnancy and, 586–591
 preeclampsia-related, 588
- Pulmonary embolism
 during pregnancy, **661–677**
 diagnosis of, 663–668
 epidemiology of, 662
 pathophysiology of, 663
 treatment of, 668–674
 anticoagulants in, 668–671
 embolectomy in, 673–674
 IVC filters in, 672
 supportive care in, 671–672
 thrombolytic therapy in, 673
- unstable
 during pregnancy
 treatment of, 671
- Pulmonary function tests
 for ALI and ARDS, 585–586
-
- Q**
- Quality of life
 ALI and, 585
 ARDS and, 585
-
- R**
- Race
 as factor in obstetric disorders
 global analysis of, 559
- Radiography
 in abdominal injuries, 121
 in initial management of trauma patients, 6
- Radionuclide angiography
 in blunt cardiac injury, 65
- RBC. See *Red blood cell (RBC)*.
- Recombinant human erythropoietin
 in blood conservation, 318
- Red blood cell (RBC) salvage techniques
 in blood conservation, 317–318
- Red blood cell (RBC) storage
 in critically ill patients with anemia, 171
- Red blood cell (RBC) transfusions
 for anemia
 microcirculatory effects of, 195–196
 in critically ill patients
 efficacy of, **255–267**
 oxygen kinetics and, 202–202
- Refeeding syndrome
 nutritional support of critically ill and injured patients and, 150

Regional anesthesia
for airway problems during pregnancy,
629–630

Renal failure
acute
rhabdomyolysis and
management of, 180
anemia and, 166
HELLP syndrome and, 769
rhabdomyolysis and
risk factors for, 182–185

Renal injuries
rhabdomyolysis and
pathophysiology of, 176–178

Respiratory distress
antecedent conditions producing,
406–409
physiologic antecedents, 407–409
assessment of, 411–412
defined, 404
ethical considerations related to, 413
in dying patients
prevalence of, 409–410
terminal dyspnea and, **403–417**. See also
Dyspnea, terminal.
treatment of, 412–413

Respiratory support
for brain dead pregnant patients, 755

Resuscitation
fluid
for traumatic brain injury, 27–28
for traumatic brain injury, 26–33. See
also *Brain injuries, management of*,
resuscitation in.

Resuscitation attempts
in pediatric ICU
family presence during, 479–480

Rhabdomyolysis
compartment syndrome and
management of, 181–182
crush injuries and, **171–192**
acute renal failure due to
management of, 180
causes of, 172–173
diagnosis of, 178
management of, 178–186
algorithm in, 185, 186
mannitol in, 179
mass casualties, 186–187
pathogenesis of, 173–174
prevalence of, 171
renal failure due to
risk factors for, 182–185
renal injury associated with
pathophysiology of, 176–178

Rib fractures
thoracic trauma and, 73–74

S

Sarcoidosis
during pregnancy, 724, 726–727

Sedation
during end-of-life care, **419–433**
for dying patients, **419–433**
after changing goals of care,
424–429
analgesia, 422–423
for anxiety, 423–424
goals of
communication of, 429–430
in withdrawal of life-sustaining
treatments, 440–441

Seizure(s)
during pregnancy
prevention of, 707–708

Sepsis
defined, 651–652
in pregnancy, **651–660**
causes of, 652–653
clinical manifestations of, 654–656
management of, 656–659
antibiotics in, 656–657
anti-inflammatory agents
in, 658
hemodynamic status
optimization in, 657
identification of source of
infection in, 656
insulin in, 658
oxygenation in, 657–658
prophylactic measures in,
658–659
pathophysiology of, 653–654

Septic shock
in pregnancy, **651–660**

Serum albumin
in critically ill and injured patients,
137–138

Shock
septic
in pregnancy, **651–660**

South America
critical illness and pregnancy issues
in, 571

Spinal cord trauma
management of, **41–51**. See also *Spine*
injuries, management of.

- Spine injuries
 management of, **41–51**
 airway management in, 45–47
 circulation in, 47
 clearing spine in, 43–45
 deep vein thrombosis/pulmonary embolism in, 50–51
 general care in, 50–51
 pulmonary care in, 50
 skin care in, 50
 steroids in, 49
 surgical
 timing of, 47–49
 urinary system in, 51
- Spiritual care
 in critical care, 496–497, 499–501
- Spiritual coping
 in critical care, 495
- Spirituality
 in critical care, **487–504**
 as patient need, 491–492
 ethical issues related to, 490–495
 healing vs. care and, 489
 in patient and caregiver coping, 493–495
 praying with patients and families or loved ones, 501
 spiritual care and, 496–497, 499–501
 spiritual coping and, 495
 spiritual history and, 497–499
 suffering and, 488–489
- Spleen
 injuries of, 124–126
- Steatosis
 hepatic
 nutritional support of critically ill and injured patients and, 150
- Steroid(s)
 in spine injury management, 49
- Stress
 caregiver-related
 factors contributing to, 542–543
- Stressor(s)
 ICU-related, 543–544
- Study to Understand Prognosis and Preference for Outcomes and Risks of Treatment, 453
- Suffering
 defined, 488–489
- Support
 in withdrawal of life-sustaining treatments, 444–445
- Surfactant(s)
 for ALI and ARDS, 583–584
- Surgery
 bloodless, 290
 transfusions in, **281–296**. See also *Blood transfusion(s)*, in surgery.
- Surgery centers
 bloodless, 293
- T**
- Temperature regulation
 in brain dead pregnant patients, 755–756
- Terminal dyspnea
 respiratory distress and, **403–417**
- Thoracic trauma
 blunt, **71–81**. See also specific trauma, e.g., *Flail chest*.
 flail chest, 74–76
 mechanism of injury in, 71–73
 outcome of, 78–79
 pulmonary contusion, 77–78
 rib fractures, 73–74
- Thrombolytic therapy
 for pulmonary embolism during pregnancy, 673
 for VTE during pregnancy, 673
- Tissue oxygen delivery
 in microcirculation, **213–223**
 central and regional circulations, 214–217
 in critically ill persons, 219–222
 physiology of, 214–218
- Trace elements
 in critically ill and injured patients, 143
- Transfusion(s)
 blood. See *Blood transfusion(s)*.
 for anemia
 adaptation to, 190–195
 benefits of, 228–233
 in critically ill patients, 171
 for coagulation defects in trauma patients, 17–19
 complications of, 19
 in cardiac patients, **269–279**
 compromised cardiac
 contractility, 271
 coronary artery disease, 270–271
 elderly, 271
 ICU patients, 272–274
 mitral valve insufficiency, 271
 postoperative period, 272
 triggers for, 274–276
 in children, **299–311**
 clinical evidence for, 302–304

- considerations in, 306–307
 guidelines for, 304–305
 risks vs. benefits for, 301–302
 standards of practice for, 304–306
- in ICU
- acute infectious (bacterial), nonimmune reactions to, 243
 - adverse effects of
 - prevalence of, 237–238
 - delayed hemolytic reactions to, 243
 - delayed nonhemolytic reactions to, 244–245
 - diseases transmitted by, 245–248
 - CMV, 247
 - Creutzfeldt-Jakob disease, 248
 - new variant, 248–249
 - emerging infections, 248–249
 - hepatitis, 246–247
 - HIV infection, 245–246
 - parasitic infections, 247–248
 - West Nile virus, 249
 - errors associated with, 249–250
 - graft-*versus*-host disease and, 244–245
 - hemosiderosis due to, 245
 - immune-mediated reactions to, 238–242
 - allergic transfusion reaction, 241
 - anaphylactic transfusion reactions, 241
 - cardio-respiratory events, 241–242
 - febrile nonhemolytic reaction, 240–241
 - hemolytic transfusion reactions, 238–240
 - immunomodulation due to, 245
 - nonimmune-mediated reactions to, 242–243
 - noninfectious, nonimmune reactions to, 242–243
 - platelet alloimmunization due to, 244
 - post-transfusion purpura and, 244
 - risk factors for, **237–253**
 - future strategies in reduction of, 250
- RBC
- for anemia
 - microcirculatory effects of, 195–196
 - in critically ill patients
 - efficacy of, **255–267**
- Transfusion/conservation methods
- adjuncts to, 288–289
 - Epogen, 288–289
- Transtacheal jet ventilation
- for airway problems during pregnancy, 636
- Trauma
- blunt
 - abdominal injuries due to, 119
 - coagulation defects due to, 15
 - penetrating
 - abdominal injuries due to, 119–120
 - prevalence of, 1
 - transfusions due to, **281–296**. See also *Blood transfusion(s), in trauma*.
- Trauma patients
- coagulation defects in, **13–24**. See also *Coagulation defects, in trauma patients*.
 - geriatric
 - initial management of, 7–8
 - initial management of, **1–11**
 - prehospital care, 2–3
 - primary survey in, 3–6
 - radiographs in, 6
 - secondary survey in, 7
 - tertiary survey in, 8–9
- U**
-
- Ultrasound
- compressive
 - in deep vein thrombosis diagnosis, 664–665
- United States
- critical illness and pregnancy issues in, 562
- Upper airway
- mucosal edema of
 - airway problems during pregnancy due to, 618
- Urologic injuries
- pelvic ring injuries and in multiply injured patient, 163–164
- V**
-
- Venous air embolism
- in pregnancy, 590–591
- Venous thromboembolism (VTE)
- described, 661
 - during pregnancy, **661–677**
 - diagnosis of, 663–668
 - epidemiology of, 662
 - pathophysiology of, 663

treatment of, 668–674
 anticoagulants in, 668–671
 embolectomy in, 673–674
 IVC filters in, 672
 supportive care in, 671–672
 thrombolytic therapy in, 673

Ventilation

 mechanical. See *Mechanical ventilation*.
 transtracheal jet
 for airway problems during
 pregnancy, 636

Ventilation-perfusion (VQ) scanning
 in pulmonary embolism diagnosis,
 666–667

Ventilator(s)

 ARDS due to, 581
 lung injury due to, 87–89, 581

VTE. See *Venous thromboembolism (VTE)*.

W

Weight gain

 airway problems during pregnancy due
 to, 618

West Nile virus

 transfusion-transmitted, 249