

Index

Note: Page numbers of article titles are in **boldface** type.

A

- Abdominal compartment syndrome, AKI in critically ill morbidly obese patients due to, 616–617
- Acute heart failure, obesity in, 591–592
- Acute kidney injury (AKI)
 - described, 607–608
 - in critically ill morbidly obese patients, **607–624**
 - abdominal compartment syndrome and, 616–617
 - acute oxalate nephropathy and, 615–616
 - causes of, 613–617
 - diagnosis of, 610–613
 - epidemiology of, 608–610
 - GFR estimation in, 610–613
 - intra-abdominal hypertension and, 616–617
 - pigment nephropathy and, 616
 - prerenal azotemia and ATN and, 613–615
 - renal support in, 617–618
 - rhabdomyolysis and, 616
- Acute oxalate nephropathy, AKI in critically ill morbidly obese patients due to, 615–616
- Acute Physiology and Chronic Health Evaluation (APACHE) II, in pregnancy, 724
- Acute tubular necrosis (ATN), prerenal azotemia and, in critically ill morbidly obese patients, 613–615
- Airway management, in obese patients, **641–646**
- AKI. See *Acute kidney injury (AKI)*.
- Aminoglycoside(s), in critically ill obese patients, 685
- APACHE II, in pregnancy, 724
- Argatroban, in critically ill obese patients, 682
- ATN. See *Acute tubular necrosis (ATN)*.
- Azotemia, prerenal, ATN and, in critically ill morbidly obese patients, 613–615

B

- Bariatric surgery patients, in ICU, **695–698**
- Bedside procedures, in critically ill obese patients, **665–666**
- Biologic disasters, in obese patients, management of, 710
- Blast injuries, in obese patients, management of, 709
- Blood pressure, accurate measurement of, in vascular procedures in critically ill obese patients, 654
- Brain injury(ies), traumatic, in obese patients, 691
- Burn injuries, in obese patients, management of, 709

C

- Cancer, obesity and, 585–586
- Carbapenems, in critically ill obese patients, 683
- Cardiovascular disease (CVD), obesity and, 588–589
- Cardiovascular system
 - of critically ill obese patients, **603–605**
 - of morbidly obese pregnant women, changes in, 717–718
- Catheter insertion techniques, vascular procedures–related, in critically ill obese patients, 651–654
- Central line “bundles,” in vascular procedures in critically ill obese patients, 650–651
- Cephalosporin(s), in critically ill obese patients, 682
- Chemical disasters, in obese patients, management of, 709–710
- Children
 - morbidly obese, critically ill, special considerations in, **699–702**
 - obesity in, injury risk related to, 690
- Chronic kidney disease (CKD), obesity and, 587–588
- CKD. See *Chronic kidney disease (CKD)*.
- Critically ill obese patients. See *Obese patients, critically ill*.
- CVD. See *Cardiovascular disease (CVD)*.

D

- Damage control surgery, in obese patients, 691
- Drainage procedures, in critically ill obese patients, 667
- Drotrecogin alfa, activated, in critically ill obese patients, 681–682
- Drug(s), in critically ill obese patients, **679–688**
 - aminoglycosides, 685
 - argatroban, 682
 - carbapenems, 683
 - cephalosporins, 682
 - described, 679–680
 - drotrecogin alfa, activated, 681–682
 - enoxaparin, 680
 - heparin, 681
 - lipopeptides, 684
 - oxazolidinones, 683–684
 - penicillins, 683
 - quinolones, 684
 - sedatives, 685–686
 - vancomycin, 684–685

E

- Endocrine system
 - obesity effects on, **633–636**
 - of morbidly obese pregnant women, changes in, 720
- Enoxaparin, in critically ill obese patients, 680
- Enteral nutrition, in critically ill obese patients, 672–673
- Extremity(ies), vascular procedures of, in critically ill obese patients, 648

F

Fluid status, in critically ill obese patients, 676
Fracture(s), in obese patients, 690

G

Gastrointestinal system
 obesity effects on, **625–627**
 of morbidly obese pregnant women, changes in, 720
Genomic(s), in trauma, obesity effects on, 692
GFR. See *Glomerular filtration rate (GFR)*.
Glomerular filtration rate (GFR), in critical ill obese patients, 610–613
Glucose, in critically ill obese patients, 676

H

Head and neck, vascular procedures of, in critically ill obese patients, 648
Heart failure, acute, obesity in, 591–592
Hematology
 changes in, in morbidly obese pregnant women, 719–720
 obesity effects on, **637–640**
Heparin, in critically ill obese patients, 681
Hypertension
 intra-abdominal, AKI in critically ill morbidly obese patients due to, 616–617
 obesity and, 586–587
Hypocaloric, high protein feeding, in critically ill obese patients, 674–675
Hypothermia, therapeutic, in critically ill obese patients, 655

I

ICU. See *Intensive care unit (ICU)*.
Immunology, obesity effects on, **629–631**
Inguinal region, vascular procedures of, in critically ill obese patients, 648
Intensive care unit (ICU)
 bariatric surgery patients in, **695–698**
 morbidly obese pregnant women in, 720–724
Intra-abdominal hypertension, AKI in critically ill morbidly obese patients due to, 616–617
Intraosseous access, in vascular procedures in critically ill obese patients, 655–656

K

Kidney injuries, acute. See *Acute kidney injury (AKI)*.

L

Labor
 in morbidly obese pregnant women
 active management of, 724–726
 anesthetic management in, 725

Labor (*continued*)

- induction and augmentation of, 725–726
 - intravenous sedation in, 725
 - second stage of, active management of, 726
 - third stage of, 726
 - physiology of, 724–725
- Lipopeptide(s), in critically ill obese patients, 684
- Lumbar puncture, ultrasound-assisted, in obese patients, **661–664**
- Lung mechanics, obesity effects on, 598
- Lung volumes, obesity effects on, 597

M

- Mass casualty crush syndrome, in obese patients, management of, 709
- Mechanical ventilation, obesity effects on, 599–600
- Mental health support, for obese patients in disaster situations, management of, 711
- Morbidly obese patients
- critically ill
 - AKI in, **607–624**. See also *Acute kidney injury (AKI), in critically ill morbidly obese patients*.
 - children, special considerations in, **699–702**
 - hospital impact on, 704
 - in disaster situations, critical care of, **703–714**
 - allocation of scarce critical care resources, 711
 - biologic disasters, 710
 - blast injuries, 709
 - burn injuries, 709
 - chemical disasters, 709–710
 - components of, 705–707
 - described, 704–705
 - mass casualty crush syndrome, 709
 - mental health support, 711
 - natural disasters, 709
 - palliative care, 711
 - radiation disasters, 710–711
 - space in, 707
 - staff in, 707
 - transportation in, 707–708
 - traumatic injuries, 707–708
 - triage for, 711
 - pregnant, critical care considerations in, **715–733**. See also *Pregnant women, morbidly obese*.
 - tracheostomy in, **669–670**
- Mortality Probability Model (MPM) II scores, in pregnancy, 724
- MPM II scores, in pregnancy, 724

N

- Natural disasters, in obese patients, management of, 709
- Nephropathy(ies)
- acute oxalate, AKI in critically ill morbidly obese patients due to, 615–616
 - pigment, AKI in critically ill morbidly obese patients due to, 616

Nutrition

- enteral, in critically ill obese patients, 672–673
- in critically ill obese patients, **671–678**
 - described, 671–672
 - enteral nutrition, 672–673
 - fluid status in, 676
 - glucose in, 676
 - hypocaloric, high protein feeding, 674–675
 - overfeeding in, 676
 - special considerations in, 673–674
 - underfeeding in, permissive, 676

O

Obese patients. See also *Obesity*.

- airway management in, **641–646**. See also *Airway management, in obese patients*.
- critically ill
 - bedside procedures in, **665–666**
 - cardiovascular considerations in, **603–605**
 - nutrition in, **671–678**
 - pharmacotherapy in, **679–688**. See also *Drug(s), in critically ill obese patients*.
 - radiologic procedures in, **666–667**
 - vascular procedures in, **647–660**. See also *Vascular procedures, in critically ill obese patients*.
- morbidly. See *Morbidly obese patients*.
- trauma in, **689–693**. See also *Trauma, in obese patients*.
- ultrasound-assisted lumbar puncture in, **661–664**

Obesity. See also *Morbidly obese patients*; *Obese patients*.

- acute stressors and, 589–590
- cancer related to, 585–586
- CKD and, 587–588
- CVD and, 588–589
- described, 703–704
- endocrine system effects on, **633–636**
- epidemic of, 584
- gastrointestinal system effects of, **625–627**
- hematologic considerations in, **637–640**
- hypertension related to, 586–587
- immunologic changes in, **629–631**
- in acute heart failure, 591–592
- in pregnant women, pathophysiology of, 717–726. See also *Pregnant women, morbidly obese*.
- morbid. See *Morbidly obese patients*.
- mortality related to, 716
- paradox of, **583–598**. See also *Obesity paradox*.
- pathophysiology of, 584–585
- postoperative response and, 590–591
- prevalence of, 703, 715
- pulmonary system effects on, **597–602**. See also *Pulmonary system, obesity effects on*.
- sepsis and, 589–590
- venous thromboembolic disease and, **637–640**

- Obesity paradox, **583–598**. See also *Obesity*.
 - defined, 583
 - described, 583–584
- Overfeeding, in critically ill obese patients, 676
- Oxazolidinone(s), in critically ill obese patients, 683–684

P

- PAC insertion, for vascular procedures in critically ill obese patients, 654–655
- Penicillin(s), in critically ill obese patients, 683
- Percutaneous endoscopic gastrostomy, in critically ill obese patients, 665–666
- Perfusion, obesity effects on, 598
- Perianal inspection, in critically ill obese patients, 666
- Pigment nephropathy, AKI in critically ill morbidly obese patients due to, 616
- Postoperative response, obesity and, 590–591
- Pregnancy, obesity and, 717–726. See also *Pregnant women, morbidly obese*.
- Pregnant women, morbidly obese
 - adverse outcomes related to, 716
 - cardiovascular changes in, 717–718
 - critical care considerations in, **715–733**
 - endocrine changes in, 720
 - gastrointestinal changes in, 720
 - hematologic changes in, 719–720
 - ICU care of, 720–724
 - labor in, active management of, 724–726
 - prevalence of, 715–716
 - respiratory changes in, 718–719
 - severity of illness scoring systems in, 724
- Prerenal azotemia, ATN and, in critically ill morbidly obese patients, 613–615
- Proctoscopy, in critically ill obese patients, 666
- Pulmonary system, obesity effects on, **597–602**
 - lung mechanics, 598
 - lung volumes and, 597
 - mechanical ventilation, 599–600
 - respiratory failure, 599–600
 - respiratory muscle inefficiency, 598–599
 - ventilation and perfusion, 598

Q

- Quinolone(s), in critically ill obese patients, 684

R

- Radiation disasters, in obese patients, management of, 710–711
- Radiologic procedures, in critically ill obese patients, **666–667**
- Renal support, for AKI in critically ill morbidly obese patients, 617–618
- Respiratory failure, obesity and, 599–600
- Respiratory muscles, inefficiency of, obesity and, 598–599
- Respiratory system, of morbidly obese pregnant women, changes in, 718–719
- Rhabdomyolysis, AKI in critically ill morbidly obese patients due to, 616

S

- SAPS II, in pregnancy, 724
- Seat belts, use of, in obese patients, 689–690
- Sedative(s), in critically ill obese patients, 685–686
- Sepsis, obesity and, 589–590
- Severity of illness scoring systems, in pregnancy, 724
- Simplified Acute Physiology Score (SAPS), in pregnancy, 724
- Stressor(s), acute, obesity related to, 589–590

T

- Therapeutic hypothermia, in critically ill obese patients, 655
- Tracheostomy, in morbidly obese patients, **669–670**
- Trauma, in obese patients, **689–693**
 - children, injury risk related to, 690
 - damage control surgery, 691
 - fractures, 690
 - genomics and, 692
 - management of, 707–708
 - outcomes related to, 690–691
 - seat belt use, 689–690
 - traumatic brain injury, 691
- Traumatic brain injury, in obese patients, 691

U

- Ultrasound-assisted lumbar puncture, in obese patients, **661–664**
- Ultrasound-guided catheter insertion, for vascular procedures in critically ill obese patients, 652–654
- Underfeeding, permissive, in critically ill obese patients, 676

V

- Vancomycin, in critically ill obese patients, 684–685
- Vascular procedures, in critically ill obese patients, **647–660**
 - anatomic considerations in, 648–649
 - catheter insertion technique in, 651–652
 - central line “bundles” in, 650–651
 - described, 647
 - general considerations in, 649–652
 - hemodynamic monitoring in, 654–655
 - intraosseous access in, 655–656
 - location of, 649–650
 - patient positioning for, 650
 - semi-invasive vascular hemodynamic tools in, 655
 - therapeutic hypothermia and, 655
 - ultrasound-guided catheter insertion in, 652–654
- Venous thromboembolic disease, obesity and, **637–640**
- Ventilation
 - mechanical, obesity effects on, 599–600
 - obesity effects on, 598